

PLEASE CHECK WWW.MOLEX.COM FOR LATEST PART INFORMATION

Part Number: [62201-8801](#)
Status: **Active**
Description: Impact™ 85 Ohm Backplane Press-In Tool for 3-Pair by 8-Column Assemblies

Documents:
[RoHS Certificate of Compliance \(PDF\)](#)


General

Product Family	Application Tooling
Series	T3002
Comments	See Tooling Specification (PDF) Above
Function	Insertion
Geographic Area	Global
Level of Automation	Manual
More Detailed Tech Information	applicationtooling@molex.com
Product Name	Impact™
Survey	www.molex.com//review/apptool_survey.html
Tool Type	Handtool
UPC	884982555099

Material Info

Reference - Drawing Numbers

Application Tooling Documents ATS-622018801, TM-622018799



EU RoHS

**ELV and RoHS
Compliant**

REACH SVHC

Not Reviewed

Low-Halogen Status

Not Reviewed

China RoHS



**Need more information on product
environmental compliance?**

Email productcompliance@molex.com
 For a multiple part number RoHS Certificate of
 Compliance, [click here](#)

Please visit the [Contact Us](#) section for any
 non-product compliance questions.

Search Parts in this Series

[T3002Series](#)

Use With

170522 , 170525 Impact™ 85 Ohm
 Backplane Assembly 3-Pair by 8 Column
 Assemblies

**Application Tooling
Description**

**FAQ
Product #**

Impact™ 85 Ohm Plus 3 Pair Vertical Backplane Header, 1.90 by 1.35mm Pitch, Unguided, Open Endwalls, 8 Columns, 72 Circuits, Pin Length 4.90mm, Plated Through Hole Dimension 0.39mm, Lead Free	1705251807
Impact™ 85 Ohm Plus 3 Pair Vertical Backplane Header, 1.90 by 1.35mm	1705251827

Pitch, Unguided,
Dual Endwalls, 8
Columns, 72 Circuits,
Pin Length 4.90mm,
Plated Through Hole
Dimension 0.39mm,
Lead Free
Impact™ 85 Ohm 1705251828
Plus 3 Pair Vertical
Backplane Header,
1.90 by 1.35mm
Pitch, Unguided,
Dual Endwalls, 8
Columns, 72 Circuits,
Pin Length 5.50mm,
Plated Through Hole
Dimension 0.39mm,
Lead Free
Impact™ 85 Ohm 1705251837
Plus 3 Pair Vertical
Backplane Header,
1.90 by 1.35mm
Pitch, Unguided,
Right Endwall, 8
Columns, 72 Circuits,
Pin Length 4.90mm,
Plated Through Hole
Dimension 0.39mm,
Lead Free
Impact™ 85 Ohm 1705253807
Plus 3 Pair Vertical
Backplane Header,
1.90 by 1.35mm
Pitch, Left Guide,
Open Endwall, 8
Columns, 72 Circuits,
Pin Length 4.90mm,
Plated Through Hole
Dimension 0.39mm,
Lead Free
Impact™ 85 Ohm 1705253817
Plus 3 Pair Vertical
Backplane Header,
1.90 by 1.35mm
Pitch, Left Guide,
Open Endwall, 8
Columns, 72 Circuits,
Pin Length 4.90mm,
Plated Through Hole
Dimension 0.39mm,
Keying Orientation A,
Lead Free
Impact™ 85 Ohm 1705255817
Plus 3 Pair Vertical
Backplane Header,
1.90 by 1.35mm
Pitch, Right Guide,
Open Endwall, 8
Columns, 72 Circuits,
Pin Length 4.90mm,
Plated Through Hole
Dimension 0.39mm,
Key Orientation A,
Lead-Free

Impact™ 85 Ohm 1705257807
Plus 3 Pair Vertical
Backplane Header,
1.90 by 1.35mm
Pitch, Left Guide with
Endwall, 8 Columns,
72 Circuits, Pin
Length 4.90mm,
Plated Through Hole
Dimension 0.39mm,
Lead Free

This document was generated on 03/08/2013

PLEASE CHECK WWW.MOLEX.COM FOR LATEST PART INFORMATION